



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

C10-12-0
Job Sheet 193872



Part No: C10-12-0

Job Qty: 10 pcs

Part Name: Solenoid



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 4/24/19

Job Tracking No:

Due Date: 5/3/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG C10-12 Rev 2 IPP Rev A 18.04.10 new issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Conventional Mill - 1	10 pcs	5/3/19		0.50	2.00	Conventional Mill - 1		
							Conventional Mill - 2		
110	QC 2	10 pcs	5/3/19		0.00	0.00	QC 2 - 1		
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		
							QC 2 - 50		
							QC 2 - 51		
							QC 2 - 52		
							QC 2 - 57		
							QC 2 - 62		
							QC 2 - 63		
							QC 2 - 8		
							QC 2 - 66		
							QC 2 - 64		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S182055



Part: C10-12-0

Job No: 193872

Serial No/Batch: S182055

Revision: 2

Inspector:

Exp Date:

Instructions:

Date: 05/16/19

Plex 4/24/19 7:23 AM Dart.lajeunesse.marie

120	QC 8	10 pcs	5/3/19	0.00 0.00	QC 2 - 65	
					QC 2 - 5	
					QC 2 - 71	
					QC 8 - 12	
					QC 8 - 14	mk 19/05/22
					QC 8 - 17	
					QC 8 - 20	
					QC 8 - 25	
					QC 8 - 3	
					QC 8 - 32	
					QC 8 - 33	
					QC 8 - 35	
					QC 8 - 39	
					QC 8 - 4	
					QC 8 - 44	
					QC 8 - 45	
					QC 8 - 49	
					QC 8 - 58	
					QC 8 - 8	
					QC 8 - 9	
					QC 8 - 68	
					QC 8 - 67	
					QC 8 - 1 (A)	
					QC 8 - 47	
					QC 8 - 40	
					QC 8 - 52	
					QC 8 - 23	
130	Packaging 3-1 - Stock - B4B	10 pcs	5/3/19	0.00 0.00	Packaging 3 - 1 - B4B	
					Packaging 3 - 2 - B4B	
					Packaging 3 - 3 - B4B	
					Packaging 3 - 4 - B4B	
					Packaging 3 - 5 - B4B	
					Packaging 3 - 6 - B4B	DAS 28 9-89
					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	

				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
140	QC 21 - SA	10 pcs	5/3/19	0.00 0.00	QC 21 - SA - 21
					QC 21 - SA - 70
					QC 21 - SA - 53

Part Op **100** - (Manufacture as per dwg) 1-Drill hole in shaft. Shaft should be retracted when drilled. Studs facing you rotate shaft
 Descriptions: COUNTER clockwise to the end of stroke, push shaft into solenoid then drill as per DWG sheet 2 2-Engrave S/N and/or
 P/N number using Marktronic engraver as per DWG.
110 - (QC2- Inspect parts off machine FAI/FAIB)
120 - (QC8- Inspect parts - second check)
130 - (Identify as per dwg & Stock Location: _____)
140 - (QC21- Final Inspection - Work Order Release)

Job BOM				
Part / Item	Component Name	Quantity	Operation	Container
H-2553-020	Solenoid	10 Ea (1 ea)	100-Conventional Mill - 1	S181763

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
100-Conventional Mill - 1	H-2553-020	10	0	0

Part Specifications
Specifications could not be found.

Plex 4/24/19 7:23 AM Dart.lajeunesse.marie



INSPECTION SHEET

Measured by:		Checked by:		QC Inspector:	
Date:	19/5/16	Date:	19/05/22	Date:	

Rev	Date	Change	Revised by	Approved
A	14.07.31	New Issue	KJ	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		AS DRAWN BY CANAM	5/13/2013	CFS	
2	14-0090	CH'D TITLEBLOCK WAS RED BARN IS DART. ADDED 10.0 MIN LENGTH NOTE. ADDED SPACER C45-8-2-4, & CONNECTORS 32446. C10-12-0 ADDED ENGRAVE BATCH NUMBER NOTE. C10-12-1 CH'D MAT'L WAS STEEL IS S.S., ADDED B/O INFO #92383A695.	7/25/2014	JAG	RW



SHOP COPY
RETURN TO
ENGINEER
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 193872 MW
19-04-24

NOTE:




1 CONNECTORS SUPPLIED LOOSE WITH ASSEMBLY.

DART AEROSPACE	
TITLE SOLENOID ASSY	
DWG NO. C10-12	REV 2
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	
DRAWN BY: CANAM APPROVED: D Weil HEAT TREAT FINISH SPEC USED ON MODEL	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 4/26/2002
SHEET 1 OF 2	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	C10-12-0	1	SOLENOID		H-2553-020 (MODIFIED)	2
		B/O	C10-12-1	1	SPRING PIN	S.S.	Ø1/8 X 5/8 MCMMASTER-CARR #92383A695	1
			C45-8-2-4	1	SPACER		SEE DWG. C45-8-2	1
		B/O	32446	2	22-16 AWG KNIFE CONNECTOR		ALLIED ELECTRONICS 32446	1

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
2	01-0090	C10-12-0 ADDED ENGRAVE BATCH NUMBER NOTE.	7/25/2014	DPD	JAG



C10-12-0
SOLENOID

DART AEROSPACE	
TITLE SOLENOID ASSY	
DWG NO. C10-12-0	REV 2
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	DRAWN BY: CANAM APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 12/19/2001 SHEET 2 OF 2